

L Number	Hits	Search Text	DB	Time stamp
-	3980887	classified (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:04
-	167939	classified (data or information or file) same unclassified	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:05
-	12	(classified adj (data or information or file) with (encrypt\$3 or encod\$3 or encipher\$3)) same unclassified	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:16
-	3986	(encrypt\$3 or encod\$3 or encipher\$3) and threat	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:17
-	29	(encrypt\$3 or encod\$3 or encipher\$3) and threat with (los\$3) with (information or data or file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:25
-	4	(encrypt\$3 or encod\$3 or encipher\$3) and ( threat\$5 or danger\$4) same ((delet\$3 or eras\$3 or destroy\$3 ) with ( key)) same (memory or RAM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:43
-	6	(encrypt\$3 or encod\$3 or encipher\$3) and ( threat\$5 or danger\$4) same ((delet\$3 or eras\$3 or destroy\$3 overwrit\$3) with ( key)) same (memory or RAM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:35
-	5	(encrypt\$3 or encod\$3 or encipher\$3) near (data or information or file) and ( threat\$5 or danger\$4) same ((delet\$3 or eras\$3 or destroy\$3 overwrit\$3) with ( key)) same (memory or RAM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:50
-	149	((compromis\$3 or recover\$3 ) with user with ( key)) and (key with (volatile or ram))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:55
-	6	((compromis\$3 or recover\$3 ) with ((cannot) or "not") with user with ( key)) and (key with (volatile or ram))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:58
-	2241745	helicopter or aircraft or vehicle or transport or airplane or ship	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:59
-	19713	(helicopter or aircraft or vehicle or transport or airplane or ship) and (encrypt\$3 or encod\$3 or encipher\$3) near (data or information or file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:59
-	8780	(helicopter or aircraft or vehicle or airplane or ship) and (encrypt\$3 or encod\$3 or encipher\$3) near (data or information or file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:02
-	2177	(helicopter or aircraft or vehicle or airplane or ship) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and (mission or project)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:06

-	1106	(helicopter or aircraft or vehicle or airplane or ship jet flight) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and (mission or project) and (helicopter or flight or airplane or jet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 17:49
-	224	(helicopter or aircraft or vehicle or airplane or ship jet flight) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and (mission or project) and (helicopter or flight or airplane or jet) and ((key or code) same (volatile or ram or tamper\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:13
-	100	(helicopter or aircraft or vehicle or airplane or ship jet flight) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and (mission or project) and (helicopter or flight or airplane or jet) and ((key or code) same (volatile or ram or tamper\$3)) and ((portable or mobile ) with (computer\$4 or device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:19
-	40	(helicopter or aircraft or vehicle or airplane or ship jet flight) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and (mission or project) and (helicopter or flight or airplane or jet) and ((key or code) same (volatile or ram or tamper\$3)) and ((portable or mobile ) with (computer\$4 or device)) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4) with (access\$3) with (information or data or file) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:28
-	118	(helicopter or aircraft or vehicle or airplane or ship jet flight) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and (helicopter or flight or airplane or jet) and ((key or code) same (volatile or ram or tamper\$3)) and ((portable or mobile ) with (computer\$4 or device)) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4) with (access\$3) with (information or data or file) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:37
-	121	(helicopter or aircraft or vehicle or airplane or ship jet flight) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and (helicopter or flight or airplane or jet) and ((key or code) same (volatile or ram or tamper\$3)) and ((portable or mobile ) with (computer\$4 or device)) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4) with (access\$3 compromis\$3) with (information or data or file) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:39

-	121	(helicopter or aircraft or vehicle or airplane or ship jet flight military army navy ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and (helicopter or flight or airplane or jet) and ((key or code) same (volatile or ram or tamper\$3)) and ((portable or mobile ) with (computer\$4 or device)) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4) with (access\$3 compromis\$3) with (information or data or file) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:40
-	152	(helicopter or aircraft or vehicle or airplane or ship jet flight military army navy ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and (helicopter or flight or airplane or jet) and ((key or code) same (volatile or ram or tamper\$3)) and ((portable or mobile ) with (computer\$4 or device)) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4) with (access\$3 compromis\$3 read\$3) with (information or data or file) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:40
-	152	((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and (helicopter or flight or airplane or jet) and ((key or code) same (volatile or ram or tamper\$3)) and ((portable or mobile ) with (computer\$4 or device)) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4) with (access\$3 compromis\$3 read\$3) with (information or data or file) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:42
-	1285	((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and ((key or code) same (volatile or ram or tamper\$3)) and ((portable or mobile ) with (computer\$4 or device)) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4) with (access\$3 compromis\$3 read\$3) with (information or data or file) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:46
-	283166	(encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 ) with ( key information code data) with (selectively or select\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:46
-	3117	(encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 ) with ( key information code data) with (selectively or select\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 14:57
-	2653	((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3)) and ((portable or mobile ) with (computer\$4 or device)) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4) with (access\$3 compromis\$3 read\$3) with (information or data or file) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 15:01

-	112	( (encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 ) with ( key information code data) with (selectively or select\$4)) ) and ( ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3)) and ((portable or mobile ) with (computer\$4 or device)) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4) with (access\$3 compromis\$3 read\$3) with (information or data or file) ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 14:02
-	56	(( (encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 ) with ( key information code data) with (selectively or select\$4)) ) and ( ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3)) and ((portable or mobile ) with (computer\$4 or device)) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4) with (access\$3 compromis\$3 read\$3) with (information or data or file) ))) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 14:03
-	7977	(encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) with (selectively or select\$4 logical\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 15:00
-	9352	((encrypt\$3 or encod\$3 or encipher\$3 protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3 flash )) and (((portable or mobile memory chip ic) with (computer\$4 or device)) (pda) card) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with (information or data or file) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 15:16
-	27	5610981.URPN.	USPAT	2004/03/25 15:09
-	735	( ((encrypt\$3 or encod\$3 or encipher\$3 protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3 flash )) and (((portable or mobile memory chip ic) with (computer\$4 or device)) (pda) card) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with (information or data or file) )) and ( (encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) with (selectively or select\$4 logical\$3)) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 15:17

-	679	(( ((encrypt\$3 or encod\$3 or encipher\$3 protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3 flash )) and (((portable or mobile memory chip ic) with (computer\$4 or device)) (pda) card) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with (information or data or file) )) and ( (encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) with (selectively or select\$4 logical\$3)) )) not ((( (encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 ) with ( key information code data) with (selectively or select\$4)) ) and ( ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3)) and ((portable or mobile ) with (computer\$4 or device)) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4) with (access\$3 compromis\$3 read\$3) with (information or data or file) ))) and @ad<20001029)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 15:17
-	30120243	(( ((encrypt\$3 or encod\$3 or encipher\$3 protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3 flash )) and (((portable or mobile memory chip ic) with (computer\$4 or device)) (pda) card) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with (information or data or file) )) and ( (encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) with (selectively or select\$4 logical\$3)) )) not ((( (encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 ) with ( key information code data) with (selectively or select\$4)) ) and ( ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3)) and ((portable or mobile ) with (computer\$4 or device)) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4) with (access\$3 compromis\$3 read\$3) with (information or data or file) ))) and @ad<20001029) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 17:34

-	281	(( ( (encrypt\$3 or encod\$3 or encipher\$3 protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3 flash )) and (((portable or mobile memory chip ic) with (computer\$4 or device)) (pda) card) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with (information or data or file) )) and ( (encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) with (selectively or select\$4 logical\$3)) )) not ((( (encrypt\$3 or encod\$3 or encipher\$3) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 ) with ( key information code data) with (selectively or select\$4)) ) and ( ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) near (data or information or file key)) and ((key or code information or data) same (volatile or ram or tamper\$3)) and ((portable or mobile ) with (computer\$4 or device)) and ((deny\$4 or prevent\$4 or protect\$4 or secur\$4) with (access\$3 compromis\$3 read\$3) with (information or data or file) ))) and @ad<20001029)) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 17:32
-	1240	((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) ) and ((overwrit\$4 ) with ( key information code data) ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card)) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 18:24
-	11976	(helicopter or aircraft or vehicle or airplane or ship jet flight) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and (mission or project operation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 18:24

-	182	( ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) ) and ((overwrit\$4 ) with ( key information code data) ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card)) and @ad<20001029) and ((helicopter or aircraft or vehicle or airplane or ship jet flight) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and (mission or project operation) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 17:49
-	2177	(helicopter or aircraft or vehicle or airplane or ship jet flight) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and ((mission or project operation) with (location or territory or geographic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 17:51
-	94	(( ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) ) and ((overwrit\$4 ) with ( key information code data) ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card)) and @ad<20001029) and ((helicopter or aircraft or vehicle or airplane or ship jet flight) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and (mission or project operation) )) and ((helicopter or aircraft or vehicle or airplane or ship jet flight) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3) near (data or information or file)) and ((mission or project operation) with (location or territory or geographic)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 17:57

-	977	( ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) ) and ((overwrit\$4 ) with ( key information code data) ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card)) and @ad<20001029) and (location or territory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 17:59
-	138	(( ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) ) and ((overwrit\$4 ) with ( key information code data) ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card)) and @ad<20001029) and (location or territory)) and (government or military)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 17:59
-	40	5748084.URPN.	USPAT	2004/03/25 18:17
-	442	((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) with (area or territory perimeter location) ) and ((overwrit\$4 ) with ( key information code data) ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 18:34



-	214	( ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) with (area or territory perimeter location) ) and ((overwrit\$4 ) with ( key information code data) ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((overwrit\$4 ) with ( key information code data) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 18:35
-	22	( ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3) with ((information or data or file memory medium) or (portable or mobile memory chip ic computer\$4 or device (pda) card pdl))) and ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data) with (area or territory perimeter location) ) and ((overwrit\$4 ) with ( key information code data) ) and ((encrypt\$3 or encod\$3 or encipher\$3 protect\$3 or secur\$3 classified) with (data or information or file key device portable or mobile memory chip ic computer\$4 or device (pda) card) memory medium) and @ad<20001029) and (((non-volatile or memory ) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with ( key information code data)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 18:40
-	1306	((non-volatile or memory ) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (( key code ) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 18:44
-	71	((non-volatile or memory ) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (( key code ) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) ) ) same ( ((power\$4) adj (on or up)) or power-up power-on or post or install\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 18:48

-	49	((non-volatile or memory ) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (( key code ) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) ) same ( ((power\$4) adj (on or up)) or power-up power-on or post or install\$5) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 18:49
-	1412	( (computer\$4 or device (pda) portable or mobile) with ( storage chip ic card memory medium) with (coupl\$4 connect\$4 or communicat\$4 ) with (target)) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 19:12
-	2	( (computer\$4 or device (pda) portable or mobile) with ( storage chip ic card memory medium) with (coupl\$4 connect\$4 or communicat\$4 ) with (target))and (load\$4 with key ) same ((load\$4 or transfer\$4 ) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 19:14
-	20	( (computer\$4 or device (pda) portable or mobile) with ( storage chip ic card memory medium) with (coupl\$4 connect\$4 or communicat\$4 ) with (target))and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) same ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data))) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 19:19
-	3683	helicopter and (military or navy or army or government )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 19:30
-	92	helicopter and (military or navy or army or government ) and ((secure or sensitive or secret classified) with (information or data file ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 19:31
-	23	helicopter and (military or navy or army or government ) and ((secure or sensitive or secret classified) with (information or data file )) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 19:42
-	1282	(military or navy or army or government ) and ((secure or sensitive or secret classified) with (information or data file )) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 19:47
-	931079	((military or navy or army or government ) and ((secure or sensitive or secret classified) with (information or data file )) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)))) and vehicle or transport portable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 19:47

-	792	((military or navy or army or government ) and ((secure or sensitive or secret classified) with (information or data file )) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)))) and (vehicle or transport portable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 19:48
-	44	((military or navy or army or government ) and ((secure or sensitive or secret classified) with (information or data file )) and ((load\$4 or transfer\$4 transmi\$5) with ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)))) and (vehicle or transport portable)) and ( ((non-volatile or memory ) with (load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code ) ) same ((delet\$3 or eras\$3 or destroy\$3 destruct\$4 extract\$4) with (( key code ) or ((encrypt\$2 encipher\$3 or secur\$3 encod\$2 sensitive) near (information or data)))) ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 09:24
-	131400	dtms emsu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 09:28
-	13737	((load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code) with (card drive (memory adj device) dtms emsu))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 09:30
-	6525	((load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code) with (card drive (memory adj device) dtms emsu medium)) same computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 09:33
-	5510	((load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code) with (card drive (memory adj device) dtms emsu medium)) with computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:16
-	0	((load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code) with ("from " adj (card drive (memory adj device) dtms emsu medium)) with computer )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 09:33
-	0	((load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code) with ("from " near (card drive (memory adj device) dtms emsu medium)) with computer )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:14
-	269070	computer with (card drive (memory adj device) dtms emsu medium) with computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 09:37
-	5510	((load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code) with (card drive (memory adj device) dtms emsu medium)) with computer ) and (computer with (card drive (memory adj device) dtms emsu medium) with computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 09:36
-	81463	computer with (card drive (memory adj device) dtms emsu medium) with (computer or device) with (connect\$4 or coupl\$4 or bus communicat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:04

-	755542	((eras\$4 or delet\$4 destroy\$3 destruct\$4 extract\$4) with (key or code) ) with (overwrit\$4 or (writ\$4 adj over)) (data) with ((non-volatile) or (drive or card or memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 10:31
-	50742	(computer with (card drive (memory adj device) dts emsu medium) with (computer or device) with (connect\$4 or coupl\$4 or bus communicat\$4)) and (((eras\$4 or delet\$4 destroy\$3 destruct\$4 extract\$4) with (key or code) ) with (overwrit\$4 or (writ\$4 adj over)) (data) with ((non-volatile) or (drive or card or memory)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 09:45
-	2158	(computer with (card drive (memory adj device) dts emsu medium) with (computer or device) with (connect\$4 or coupl\$4 or bus communicat\$4)) and (((eras\$4 or delet\$4 destroy\$3 destruct\$4 extract\$4) with (key or code) ) with (overwrit\$4 or (writ\$4 adj over)) (data) with ((non-volatile) or (drive or card or memory))) and (((load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) with (card drive (memory adj device) dts emsu medium)) with computer ) and (computer with (card drive (memory adj device) dts emsu medium) with computer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 09:45
-	256	((load\$3 transfer\$4 or transmit\$4 ) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file ) ) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) near (data or information or file ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 10:49
-	9	((computer with (card drive (memory adj device) dts emsu medium) with (computer or device) with (connect\$4 or coupl\$4 or bus communicat\$4)) and (((eras\$4 or delet\$4 destroy\$3 destruct\$4 extract\$4) with (key or code) ) with (overwrit\$4 or (writ\$4 adj over)) (data) with ((non-volatile) or (drive or card or memory))) and (((load\$3 transfer\$4 or transmit\$4 install\$4) with (key code) with (card drive (memory adj device) dts emsu medium)) with computer ) and (computer with (card drive (memory adj device) dts emsu medium) with computer))) and (((load\$3 transfer\$4 or transmit\$4 ) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file ) ) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) near (data or information or file )))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 09:49
-	755461	5815577.pn. and ((eras\$4 or delet\$4 destroy\$3 destruct\$4 extract\$4) with (key or code) ) with (overwrit\$4 or (writ\$4 adj over)) (data) with ((non-volatile) or (drive or card or memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 10:31
-	1	5815577.pn. and (((eras\$4 or delet\$4 destroy\$3 destruct\$4 extract\$4) with (key or code) ) with (overwrit\$4 or (writ\$4 adj over)) (data) with ((non-volatile) or (drive or card or memory)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 10:31

-	0	((load\$3 transfer\$4 or transmit\$4 ) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) near (data or information or file ) ) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) near (data or information or file ))) and (((eras\$4 or delet\$4 destroy\$3 destruct\$4 extract\$4) with (key or code) ) with (overwrit\$4 or (writ\$4 adj over)) with (data) with ((non-volatile) or (drive or card or memory)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 10:33
-	51	((eras\$4 or delet\$4 destroy\$3 destruct\$4 extract\$4) with (key or code) ) with (overwrit\$4 or (writ\$4 adj over)) with (data) with ((non-volatile) or (drive or card or memory)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 10:33
-	14	5815577.URPN.	USPAT	2004/03/26 10:47
-	1145	((load\$3 transfer\$4 or transmit\$4 ) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 10:50
-	31	((((load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code) with (card drive (memory adj device) dts emsu medium)) with computer ) and (computer with (card drive (memory adj device) dts emsu medium) with computer)) and (computer with (card drive (memory adj device) dts emsu medium) with (computer or device) with (connect\$4 or coupl\$4 or bus communicat\$4)) and (((load\$3 transfer\$4 or transmit\$4 ) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file ))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:04
-	2	5638444.URPN.	USPAT	2004/03/26 11:15
-	205	((load\$3 transfer\$4 or transmit\$4 ) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file ))) and ((load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code) with (card drive (memory adj device) dts emsu medium))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:17
-	2576	((load\$3 transfer\$4 or transmit\$4 ) same (key code) same ((prior or before) with (load\$3 transfer\$4 or transmit\$4 )) same ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:20

-	53	(((((load\$3 transfer\$4 or transmit\$4 ) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file ))) and ((load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code) with (card drive (memory adj device) dts emsu medium)) ) and ((load\$3 transfer\$4 or transmit\$4 ) same( key code) same ((prior or before) with (load\$3 transfer\$4 or transmit\$4 )) same ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:20
-	28	(((((load\$3 transfer\$4 or transmit\$4 ) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file ))) and ((load\$3 transfer\$4 or transmit\$4 install\$4) with ( key code) with (card drive (memory adj device) dts emsu medium)) ) and ((load\$3 transfer\$4 or transmit\$4 ) same( key code) same ((prior or before) with (load\$3 transfer\$4 or transmit\$4 )) same ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) ) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:54
-	17	((keep\$4 or maintain\$4 ) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file ))) same ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:59
-	20	((keep\$4 or maintain\$4 ) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )))and((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:12

-	3	(((keep\$4 or maintain\$4 ) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )))and((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) and @ad<20001029) not (((keep\$4 or maintain\$4 ) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file ))) same ((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) and @ad<20001029)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:00
-	107	(((keep\$4 or maintain\$4 stor\$4) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )))and((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:14
-	60	(((keep\$4 or maintain\$4 stor\$4) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )))and((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) and @ad<20001029) not (((load\$3 transfer\$4 or transmit\$4 ) with (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) same ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:13

-	87	((keep\$4 or maintain\$4 stor\$4) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )))and((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) and @ad<20001029) not (((keep\$4 or maintain\$4 ) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )))and((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) and @ad<20001029)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:13
-	58	(((((keep\$4 or maintain\$4 stor\$4) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )))and((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) and @ad<20001029) not (((keep\$4 or maintain\$4 ) near2 ((unencrypt\$4 plaintext unclassified unprotect\$3 or unsecur\$4) with (data or information or file )))and((deny\$4 or prevent\$4 or protect\$4 or secur\$4 restrict\$4 refus\$3 declin\$4 denial) with (access\$3 compromis\$3 read\$3)) with ((encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ) ) and @ad<20001029)) and (((load\$3 transfer\$4 or transmit\$4 install\$4) near2 (encrypt\$3 or encod\$3 or encipher\$3 cipher\$4 protect\$4 or secur\$3 classif\$5 sensitive) with (data or information or file ))) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 14:52
-	48	((data or information ) with (without or "not") with (need\$3 or requir\$4) with encrypt\$4) same ((transmit\$5 or load\$4 or stor\$4) with (medium or memory or device card )) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 14:54
-	46	((data or information ) with ((selectively or select\$5 or logical\$4) near encrypt\$4) with ((transmit\$5 or load\$4 or stor\$4) with (medium or memory or device card ))) and @ad<20001029	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 14:57



-	31	<p>(((keep\$4 or maintain\$4 stor\$4) near2  (unencrypt\$4 plaintext unclassified  unprotect\$3 or unsecur\$4) with (data or  information or file )))and((deny\$4 or  prevent\$4 or protect\$4 or secur\$4  restrict\$4 refus\$3 declin\$4 denial) with  (access\$3 compromis\$3 read\$3)) with  ((encrypt\$3 or encod\$3 or encipher\$3  cipher\$4 protect\$4 or secur\$3 classif\$5  sensitive) with (data or information or  file ) ) and @ad&lt;20001029) not  (((keep\$4 or maintain\$4 ) near2  (unencrypt\$4 plaintext unclassified  unprotect\$3 or unsecur\$4) with (data or  information or file )))and((deny\$4 or  prevent\$4 or protect\$4 or secur\$4  restrict\$4 refus\$3 declin\$4 denial) with  (access\$3 compromis\$3 read\$3)) with  ((encrypt\$3 or encod\$3 or encipher\$3  cipher\$4 protect\$4 or secur\$3 classif\$5  sensitive) with (data or information or  file ) ) and @ad&lt;20001029)) and  (((load\$3 transfer\$4 or transmit\$4  install\$4) near2 (encrypt\$3 or encod\$3 or  encipher\$3 cipher\$4 protect\$4 or secur\$3  classif\$5 sensitive) with (data or  information or file ))) and ((select\$4 or  selectively logical\$4) with (encrypt\$4))  and @ad&lt;20001029</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 14:57
-	5	6351813.URPN.	USPAT	2004/03/26 17:09